

**APPENDIX 1**

| No. | Issue   | Action  | Resolved | Update   |
|-----|---|---|----------|--|
| 1   | The Disaster Recovery Plan is not current. The Council should take priority to ensure the kit list is updated and fit for purpose | The Council will ensure that the kit lists are updated and fit for purpose in conjunction with Capita who are responsible for Third party contracts for DR. Disaster Recovery and business continuity plans will be reviewed annually to ensure suitability, adequacy and effectiveness | No       | <p>All asset lists, including desktops, servers and network equipment have been updated and are managed by the Service Desk Provider. Procedures documents are currently being reviewed and updated.</p> <p><b>Hd of ICT services is currently drafting the DR plan in conjunction with Amicus – Third Party. Also drafting a specification for a short term joint DR contract to include kit and recovery site. It is anticipated our DR need will change over the next year given the core transformation and therefore the Council is looking to tender for a flexible contract. Once the DR plan is drafted this will go to ITSG &amp; risk groups at both Councils for review and sign off. There will then be annual review per other IT policies.</b></p> |
| 2   | The lack of an effective testing strategy for Disaster Recovery may mean that gaps and defects in the plan may not be identified  | Once the kit lists are updated, DR tests will take place on critical systems and their key dependencies   | No       | <p>The testing will take place once the DR procurement has taken place, a requirement to undertake this is being built into the specification.</p> <p><b>DR Test to take place: December 2017</b></p>  |